Contents to volume 247

Research Letters

Crystallisation and preliminary analysis of glucose isomerase from *Streptomyces albus* (FEB 06978) *Z. Dauter, M. Dauter, J. Hemker, H. Witzel, K.S. Wilson* 1

Mechanism of biosynthesis of 11*R*- and 12*R*-hydroxyeicosatetraenoic acids by eggs of the sea urchin *Strongylocentrotus purpuratus* (FEB 06981) *D.J. Hawkins, A.R. Brash* 9

The assembly of the major desmosome glycoproteins of Madin-Darby canine kidney cells (FEB 06984) *E.J. Penn, C. Hobson, D.A. Rees, A.I. Magee* 13

Spontaneous polymerization of the antibiotic peptide magainin 2 (FEB 06880) *R. Urrutia, R.A. Cruciani, J.L. Barker, B. Kachar* 17

Calcium-dependent binding between calmodulin and lysozyme (FEB 06983) *J.F. Fierro, M.A. Pajares, C. Hardisson* 22

Deglycosylation of the chymotryptic collagen-binding fragment of human plasma fibronectin does not modify its affinity to denatured collagen (FEB 06987) *P. Delannoy, J. Montreuil* 25

Enzymatic deglycosylation of the dendrotoxin-binding protein (FEB 06988) *H. Rehm* 28

Identification of S-100 proteins and S-100-binding proteins in a detergent-resistant EDTA/KCl-extractable fraction from bovine brain membranes (FEB 06985) *R. Donato, I. Giambanco, M.C. Aisa, P. Ceccarelli* 31

The developmental regulation of the L2/HNK-1 and L3 carbohydrate epitopes in mouse brain: Evidence for separate control of lipid- and protein-bound epitopes (FEB 06982) *K.C. Breen* 36

Negative regulation of human insulin gene expression by the 5'-flanking region in non-pancreatic cells (FEB 06990) *J. Takeda, S. Ishii, Y. Seino, F. Imamoto, H. Imura* 41

Genetic code preferentially conserves long-range interactions among the amino acids (FEB 06994) *V. Sitaramam* 46

In vitro reconstitution of hnRNP particles (FEB 06986) *J. Schenkel, P.M. Kloetzel* 51

An improved system for expressing pancreatic ribonuclease in *Escherichia coli* (FEB 06993) *G.M. McGeehan, S.A. Benner* 55

Inhibition of reverse transcription in rat liver intracisternal A-particles by thymidine derivatives (FEB 06992) *G.B. Pyrinova, E.A. Kuzminova, R.I. Salganik, A.A. Krayevsky, M.M. Kukhanova* 57

Ethanol potentiates and blocks NMDA-activated single-channel currents in rat hippocampal pyramidal cells (FEB 06989) *M.T.R. Lima-Landman, E.X. Albuquerque* 61

Endothelin increases single-channel calcium currents in coronary arterial smooth muscle cells (FEB 06991) *S.D. Silberberg, T.C. Poder, A.E. Lacerda* 68

Putative precursors of endothelin have less vasoconstrictor activity in vitro but a potent pressor effect in vivo (FEB 07009) *T. Kashiwabara, Y. Inagaki, H. Ohta, A. Iwamatsu, M. Nomizu, A. Morita, K. Nishikori* 73

Further characterization of monoclonal antibody 6,F-8 reacting with *Lathyrus, Lens* and *Pisum* lectins (FEB 07005) *J. Kolberg, P. Rougé* 77

Two forms of the $GABA_A$ receptor distinguished by anion-exchange chromatography (FEB 06997) *J.R. Moffett, A. Namboodiri, J.H. Neale* 81

Monitoring the transport and phosphorylation of 2-deoxy-D-glucose in tumor cells in vivo and in vitro by ^{13}C nuclear magnetic resonance spectroscopy (FEB 06998) *G. Navon, R.C. Lyon, O. Kaplan, J.S. Cohen* 86

Nanosecond electron transfer kinetics in photosystem I as obtained from transient EPR at room temperature (FEB 07001) *C.H. Bock, A.J. van der Est, K. Brettel, D. Stehlik* 91

Reversible reorganization of the chlorophyll-protein complexes of photosystem II in cyanobacterium cells in the dark (FEB 07000) *N.N. Lebedev, C.V. Ni, A.A. Krasnovsky* 97

Potentiometric titration of cytochrome-*bo* type quinol oxidase of *Escherichia coli*: evidence for heme-heme and copper-heme interaction (FEB 07012) *J.C. Salerno, B. Bolgiano, W.J. Ingledew* 101

Electric field-induced fusion of mitochondria (FEB 06995) *J.A. Reynaud, H. Labbe, K. Lequoc, D. Lequoc, C. Nicolau* 106

Effective blocking of HIV-1 proteinase activity by characteristic inhibitors of aspartic proteinases (FEB 07006) *A.D. Richards, R. Roberts, B.M. Dunn, M.C. Graves, J. Kay* 113

Possible role of some groups in the structure and function of HIV-1 protease as revealed by molecular modeling studies (FEB 06999) *I.V. Pechik, A.E. Gustchina, N.S. Andreeva, A.A. Fedorov* 118

The prostate-specific antigen gene and the human glandular kallikrein-1 gene are tandemly located on chromosome 19 (FEB 07015) *P.H.J. Riegman, R.J. Vlietstra, P. Klaassen, J.A.G.M. van der Korput, A. Geurts van Kessel, J.C. Romijn, J. Trapman* 123

Detection of low molecular mass GTP-binding proteins in chromaffin granules and other subcellular fractions of chromaffin cells (FEB 07011) *J.-P. Doucet, S. Fournier, M. Parulekar, J.-M. Trifaró* 127

Maximal activities of glutaminase, citrate synthase, hexokinase, phosphofructokinase and lactate dehydrogenase in skin of rats and mice at different ages (FEB 06996) *D. Keast, T. Nguyen, E.A. Newsholme* 132

Arctic adaptation in reindeer: The energy saving of a hemoglobin (FEB 07014) *B. Giardina, O. Brix, M. Nuutinen, S. El Sherbini, A. Bardgard, G. Lazzarino, S.G. Condò* 135

A model for the dimeric molecular structure of phytochrome based on small-angle X-ray scattering (FEB 07004) *S. Tokutomi, M. Nakasako, J. Sakai, M. Kataoka, K.T. Yamamoto, M. Wada, F. Tokunaga, M. Furuya* 139
Trametes versicolor ligninase: isozyme sequence homology and substrate specificity (FEB 07002) *L. Jönsson, O. Karlsson, K. Lundquist, P.O. Nyman* 143
The progenitor of ATP synthases was closely related to the current vacuolar H^+-ATPase (FEB 07003) *H. Nelson, N. Nelson* 147
The complete islet amyloid polypeptide precursor is encoded by two exons (FEB 07007) *S. Mosselman, J.W.M. Höppener, C.J.M. Lips, H.S. Jansz* 154
The phorbol ester-induced extracellular Ca^{2+}-independent release of LH is dependent on estradiol and de novo protein synthesis (FEB 06980) *G.A. Bourne, S. Das, N.W. Fahmy* 159

Notes to Authors 163

FEBS News

FEBS Officers/General Secretaries 165

Research Letters

An archaebacterial gene from *Methanococcus vannielii* encoding a protein homologous to the ribosomal protein L10 family (FEB 07010) *A.K.E. Köpke, G. Baier, B. Wittmann-Liebold* 167
Cell cycle related change of Ara-C transport in HL-60 cells after differentiation induction (FEB 07017) *T. Takimoto, M. Kubota, S. Tsuruta, T. Kitoh, A. Tanizawa, Y. Akiyama, H. Mikawa* 173
Endothermic oxygenation of hemocyanin in the krill *Meganyctiphanes norvegica* (FEB 07018) *O. Brix, S. Borgund, T. Barnung, A. Colosimo, B. Giardina* 177
Na^+-independent Mg^{2+} efflux from Mg^{2+}-loaded human erythrocytes (FEB 07019) *T. Günther, J. Vormann* 181
Coupling of viral membrane proteins to phosphatidylinositide signalling system (FEB 07021) *C. Weinmann-Dorsch, K. Koschel* 185
Bradykinin stimulates tumor necrosis factor and interleukin-1 release from macrophages (FEB 07022) *C.W. Tiffany, R.M. Burch* 189
Carboxypeptidase-B-like processing of the C-terminus of glucagon-like peptide-2 in pig and human small intestine (FEB 07016) *C. Ørskov, T. Buhl, L. Rabenhøj, H. Kofod, J.J. Holst* 193
Na^+, K^+-specific inhibition of protein and peptide hydrolyses by proteasomes from human hepatoma tissues (FEB 07023) *J.H. Seol, S.C. Park, D.B. Ha, C.H. Chung, K. Tanaka, A. Ichihara* 197
Production of antibodies against the coenzyme pyrroloquinoline quinone (FEB 07024) *G. Citro, A. Verdina, R. Galati, G. Floris, S. Sabatini, A. Finazzi-Agrò* 201
Hormone-sensitive lipase is responsible for the neutral cholesterol ester hydrolase activity in macrophages (FEB 07025) *C.A. Small, J.A. Goodacre, S.J. Yeaman* 205
Protein synthesis in rat cardiac myocytes is stimulated at the level of translation by phorbol esters (FEB 07026) *S.J. Fuller, P.H. Sugden* 209
Abnormal tau species are produced during Alzheimer's disease neurodegenerating process (FEB 07027) *S. Flament, A. Delacourte* 213
The interaction of alkynyl carboxylates with serine enzymes: A potent new class of serine enzyme inhibitors (FEB 07028) *D. Segal, Y. Shalitin, H. Wingert, T. Kitamura, P.J. Stang* 217
Identification of *rho* as a substrate for botulinum toxin C_3-catalyzed ADP-ribosylation (FEB 07013) *L.A. Quilliam, J.-C. Lacal, G.M. Bokoch* 221
Stimulation of polyphosphoinositide hydrolysis in Swiss 3T3 cells by recombinant fibroblast growth factors (FEB 07020) *K.D. Brown, D.M. Blakeley, D.R. Brigstock* 227
The influence of nerve growth factor on the activities of adenylate cyclase and high-affinity GTPase in pheochromocytoma PC12 cells (FEB 07029) *E.E. Golubeva, G.A. Posypanova, A.D. Kondratyev, E.I. Melnik, E.S. Severin* 232
Leucine transport in plasma membrane vesicles of *Saccharomyces cerevisiae* (FEB 07030) *M. Calahorra, M. Opekarová, J. Ramirez, A. Peña* 235
Effects of mastoparan on catecholamine release from chromaffin cells (FEB 07031) *S.P. Wilson* 239
The primary structure of rat ribosomal protein L18a (FEB 07032) *Y. Aoyama, Y.-L. Chan, O. Meyuhas, I.G. Wool* 242
Defect in phorbol acetate-induced translocation of diacylglycerol kinase in erbB-transformed fibroblast cells (FEB 07033) *M. Kato, S. Kawai, T. Takenawa* 247
Regulation of LacZ mRNA translatability in a cell-free system at heat shock by the last four sense codons (FEB 07034) *O.N. Denisenko, O.B. Yarchuk* 251
ATP-synthase complex: the mechanism of control of ion fluxes induced by cumene hydroperoxide in mitochondria (FEB 07035) *S.A. Novgorodov, T.I. Gudz, Yu.E. Mohr, E.N. Goncharenko, L.S. Yaguzhinsky* 255
Archaebacterial malate dehydrogenase: the amino-terminal sequence of the enzyme from *Sulfolobus acidocaldarius* is homologous to the eubacterial and eukaryotic malate dehydrogenases (FEB 07036) *H. Görisch, K.-D. Jany* 259
Determination of the functionally important heme peripheral vinyl group orientation in paramagnetic hemoprotein by 2D NMR (FEB 07037) *Y. Yamamoto, A. Ōsawa, Y. Inoue, R. Chûjô, T. Suzuki* 263
Recombinant H-chain ferritins: effects of changes in the 3-fold channels (FEB 07038) *A. Treffry, P.M. Harrison, A. Luzzago, G. Cesareni* 268
Binding of benzyl penicilloyl to human serum albumin: Evidence for a highly reactive region at the junction of domains 1 and 2 of the albumin molecule (FEB 07039) *M. Yvon, P. Anglade, J.-M. Wal* 273
Purification and partial amino acid sequence analysis of human erythrocyte acetylcholinesterase (FEB 07040) *V. Chhajlani, D. Derr, B. Earles, E. Schmell, T. August* 279

Conformational properties of deltorphin: new features of the δ-opioid receptor (FEB 07041) *P.A. Temussi, D. Picone, T. Tancredi, R. Tomatis, S. Salvadori, M. Marastoni, G. Balboni* 283
Pyrophosphate analogues in pyrophosphorolysis reaction catalyzed by DNA polymerases (FEB 07044) *T. Rozovskaya, N. Tarussova, S. Minassian, A. Atrazhev, M. Kukhanova, A. Krayevsky, Z. Chidgeavadze, R. Beabealashvilli* 289
Synthetic peptide from lipocortin I has no phospholipase A_2 inhibitory activity (FEB 07042) *J. van Binsbergen, A.J. Slotboom, A.J. Aarsman, G.H. de Haas* 293
Clones containing variant forms of complete human rRNA genes: Characterization and sequence of their transcription initiation region (FEB 07045) *M.-H. Renalier, N. Joseph, J.-P. Bachellerie* 298
Growth stimulatory effect of pancreatic spasmolytic polypeptide on cultured colon and breast tumor cells (FEB 07047) *N.M. Hoosein, L. Thim, K.H. Jørgensen, M.G. Brattain* 303
Rat pineal S-antigen: sequence analysis reveals presence of α-transducin homologous sequence (FEB 07048) *T. Abe, K. Yamaki, M. Tsuda, V.K. Singh, S. Suzuki, R. McKinnon, D.C. Klein, L.A. Donoso, T. Shinohara* 307
The yeast pyruvate kinase gene does not contain a string of non-preferred codons: revised nucleotide sequence (FEB 07049) *T. McNally, I.J. Purvis, L.A. Fothergill-Gilmore, A.J.P. Brown* 312
Nucleotide sequence of *Suncus murinus* immunoglobulin μ gene and comparison with mouse and human μ genes (FEB 07050) *H. Ishiguro, Y. Ichihara, T. Namikawa, T. Nagatsu, Y. Kurosawa* 317
O- and *N*-glycosylation lead to different molecular mass forms of human monocyte interleukin-6 (FEB 07051) *V. Gross, T. Andus, J. Castell, D. Vom Berg, P.C. Heinrich, W. Gerok* 323
Evidence for the induction of cytochrome P-452 in rat liver by Aroclor 1254, a commercial mixture of polychlorinated biphenyls (FEB 07052) *J.T. Borlakoglu, J.D. Edwards-Webb, R.R. Dils, J.P.G. Wilkins, L.W. Robertson* 327
Mitochondrial porin regulates the sensitivity of anion carriers to inhibitors (FEB 07053) *L.A. Pronevich, T.A. Mirzabekov, Z.E. Rozhdestvenskaya* 330
Two structural types of mercury reductases and possible ways of their evolution (FEB 07054) *E.S. Bogdanova, S.Z. Mindlin* 333
Differential activities of two distinct endothelin family peptides on ileum and coronary artery (FEB 07056) *N. Ishida, K. Tsujioka, M. Tomoi, K. Saida, Y. Mitsui* 337
Phosphoinositide hydrolysis in permeabilized SH-SY5Y human neuroblastoma cells is inhibited by mastoparan (FEB 07057) *R.J.H. Wojcikiewicz, S.R. Nahorski* 341
The detection of natural opal suppressor seryl-tRNA in *Escherichia coli* by the dot blot hybridization and its phosphorylation by a tRNA kinase (FEB 07058) *T. Mizutani, N. Maruyama, T. Hitaka, Y. Sukenaga* 345
Inhibition of HIV replication in cell culture by the specific aspartic protease inhibitor pepstatin A (FEB 07059) *K. von der Helm, L. Gürtler, J. Eberle, F. Deinhardt* 349
Expression of protein kinase C subspecies in human leukemia-lymphoma cell lines (FEB 07060) *S. Sawamura, K. Ase, N. Berry, U. Kikkawa, P.G. McCaffrey, J. Minowada, Y. Nishizuka* 353
Fibrinogen is chemotactic for vascular smooth muscle cells (FEB 07061) *M. Naito, T. Hayashi, M. Kuzuya, C. Funaki, K. Asai, F. Kuzuya* 358
Structural consequences of a one atom mutation on aspartate transcarbamylase from *E. coli* (FEB 07062) *J. Cherfils, R.M. Sweet, S.A. Middleton, E.R. Kantrowitz, P. Tauc, P. Vachette* 361
Glycine and other amino compounds prevent chromatin precipitation at physiological ionic strength (FEB 07066) *A. Buche, A. Ouassaidi, R. Hacha, E. Delpire, R. Gilles, C. Houssier* 367
Alternative usage of different poly(A) addition signals for two major species of mRNA encoding human aromatase P-450 (FEB 07067) *K. Toda, M. Terashima, Y. Mitsuuchi, Y. Yamasaki, Y. Yokoyama, S. Nojima, H. Ushiro, T. Maeda, Y. Yamamoto, Y. Sagara, Y. Shizuta* 371
Purification and characterization of Ca^{2+}/calmodulin-dependent actin-binding proteins from squid retina (FEB 07068) *H. Asai, T. Arai, T. Fujii, G. Matsumoto* 377
Deletion analysis of yeast plasma membrane H^+-ATPase and identification of a regulatory domain at the carboxyl-terminus (FEB 07063) *F. Portillo, I.F. de Larrinoa, R. Serrano* 381
Activation of interleukin-1β by a co-induced protease (FEB 07069) *R.A. Black, S.R. Kronheim, P.R. Sleath* 386
Molecular cloning and chromosomal localization of a novel *Drosophila* protein phosphatase (FEB 07105) *V. Dombrádi, J.M. Axton, D.M. Glover, P.T.W. Cohen* 391
Topological analysis of the amino-terminal region of lactose permease using the *Escherichia coli* outer membrane protein, OmpA, as a marker (FEB 07070) *S. MacIntyre, M.-L. Eschbach, H. Schwarz, R. Ehring* 396
Galanin inhibits insulin secretion by direct interference with exocytosis (FEB 07072) *S. Ullrich, C.B. Wollheim* 401
Glycolysis in P-glycoprotein-overexpressing human tumor cell lines: Effects of resistance-modifying agents (FEB 07073) *H.J. Broxterman, H.M. Pinedo, C.M. Kuiper, G.J. Schuurhuis, J. Lankelma* 405
Location of the calmodulin- and actin-binding domains at the C-terminus of caldesmon (FEB 07075) *R. Makuch, M.P. Walsh, R. Dabrowska* 411
Chicken spermatogenesis is accompanied by a genomic-wide loss of DNA methylation (FEB 07076) *N. Rocamora, C. Mezquita* 415
Stem bromelain: amino acid sequence and implications for weak binding of cystatin (FEB 07077) *A. Ritonja, A.D. Rowan, D.J. Buttle, N.D. Rawlings, V. Turk, A.J. Barrett* 419
Variations in genome fragments coding for RNA polymerase in human and simian hepatitis A viruses (FEB 07079) *M.S. Balayan, Y.Y. Kusov, A.G. Andjaparidze, S.A. Tsarev, E.D. Sverdlov, V.E. Chizhikov, V.M. Blinov, S.K. Vasilenko* 425
Spatial localization of the stimulus-induced rise in cytosolic Ca^{2+} in bovine adrenal chromaffin cells: Distinct nicotinic and muscarinic patterns (FEB 07080) *T.R. Cheek, A.J. O'Sullivan, R.B. Moreton, M.J. Berridge, R.D. Burgoyne* 429

Regulation of cGMP-dependent conductance in cytoplasmic membrane of rod outer segments by transducin (FEB 07078) *G.B. Krapivinsky, G.N. Filatov, E.A. Filatova, A.L. Lyubarsky, E.E. Fesenko* 435
Neuroactive metabolites of L-tryptophan, serotonin and quinolinic acid, in striatal extracellular fluid: Effect of tryptophan loading (FEB 07074) *M.J. During, A. Freese, M.P. Heyes, K.J. Swartz, S.P. Markey, R.H. Roth, J.B. Martin* 438
Zinc increases phorbol ester receptors in intact B-cells, neutrophil polymorphs and platelets (FEB 07065) *I.J. Forbes, P.D. Zalewski, N.P. Hurst, C. Giannakis, M.W. Whitehouse* 445
The actions of a red tide toxin from *Ptychodiscus brevis* on single sodium channels in mammalian neuroblastoma cells (FEB 07081) *R.E. Sheridan, M. Adler* 448
Distribution of serotonin 5-HT_{1C} receptor mRNA in adult rat brain (FEB 07083) *B.J. Hoffman, E. Mezey* 453
Catecholamines increase nerve growth factor mRNA content in both mouse astroglial cells and fibroblast cells (FEB 07082) *Y. Furukawa, N. Tomioka, W. Sato, E. Satoyoshi, K. Hayashi, S. Furukawa* 463
A novel extracellular subtilisin inhibitor produced by a *Streptomyces* sp. (FEB 07084) *Y. Kourteva, R. Boteva* 468
Chronic long-term electrostimulation creates a unique metabolic enzyme profile in rabbit fast-twitch muscle (FEB 07085) *D.A. Hood, D. Pette* 471
Hydrogen peroxide is the end product of oxygen reduction by the terminal oxidase in the marine bacterium *Pseudomonas nautica* 617 (FEB 07086) *M. Denis, S. Arnaud, F. Malatesta* 475
Conformational changes of type II regulatory subunit of cAMP-dependent protein kinase on cAMP binding (FEB 07089) *D.R. Johnson, S.S. Wong* 480
Adenine nucleotides regulate Ca^{2+} transport in brain mitochondria (FEB 07088) *H. Rottenberg, M. Marbach* 483
Isozymic forms of protein kinase C in regenerating rat liver (FEB 07090) *M. Houweling, W.J. Vaartjes, L.M.G. van Golde* 487

Book Reviews and Booklist no. 88 492

Author Index 507

Table of Contents 514

Notes to Authors 518

FEBS News

FEBS Officers/General Secretaries 520

Announcement 523